

# Product Catalogue 2025

Sophisticated and functional designs made easy.



## Welcome to Fastmount panel mounting solutions.

**Designed for removable panels in the marine, architectural, furniture and RV industries, the award winning Fastmount hidden mounting system delivers a flawless finish with perfect alignment every time.**

The secret to Fastmount is the unique range of hidden clips ideal for secure fastening of removable panels. With Fastmount, interior panels can be easily removed and refitted in any sequence, time after time.

Combining speed, versatility and accuracy, the Fastmount system enables designers, installers and contractors to re-think the panelling process.

Whether you're mounting ceiling panels to wooden framework, heavyweight wall panels to aluminium profiles, or outdoor cushions to a seat, Fastmount has a hidden mounting system to suit your needs.

Fastmount is the original panel mounting solution designed to perform on sea, land and in the air. All of our systems are real world and third-party tested. Applications of use are only limited by your imagination.

Panel mounting solution:

**PC-F1A** - ceiling panel

**PC-M2H** - ceiling substrate

**LP-F8** - wall panel

**LP-M8A** - wall substrate

**MC-M5** - floor panel

**MC-F5** - floor substrate

Panelling,  
limited only by  
your imagination.

Panel mounting solution:  
**PC-F1A** - substrate  
**PC-VMX** - panel



Perfect Alignment



Easy Installation



Less Downtime



Easily Removed



Safe and Secure

## BENEFITS

- No visible fixings
- Allows for repeated removal and replacement of panels
- Eliminates panel damage – install panels during final build stages
- Variety of mounting options – self tapping, glue and screw fix
- Allows for panel flex and expansion
- Provides cavities for services and enhanced acoustics

## APPLICATIONS

- Ceilings, walls, feature panels, furniture and upholstery
- Access, inspection and ventilation panels
- Interior and selected exterior applications
- Upholstered, painted, prefinished, composite and acoustic panels
- Mounts into a wide variety of substrates e.g. GRP, composite, honeycomb, aluminium
- New build, refit and upgrades

## CONTENTS

Standard PC Range	5
Low Profile LP Range	7
Very Low Profile VL Range	9
Metal MC Range	11
Stratlock SL Range	13
SLX Range	15
PanelSafe PS Range	17
Textile TC Range	19
Fastmount Tools Range	21

S/Y Ngoni, Royal Huisman  
 Photo: Breedmedia

The Standard range,  
 for a finish that's anything  
 but standard.



Panel mounting solution:  
**PC-F1A** - substrate  
**PC-M2H** - panel




## STANDARD PC RANGE

The Standard Range offers hidden panel mounting solutions for a variety of applications, and includes self-tapping, screw and adhesive fix options. Pull-out loads vary from 5-15kg/11-33lb, depending on the male clip used. The Standard Range is ideal for mounting wall and ceiling panels where the standoff between frame and panel does not need to be kept to a minimum. Male and female clips are interchangeable within the range.

*Common uses: Wall and ceiling panels, acoustic panels, prefabricated panels and seat backs.*

- |   |  |   |  |   |   |
|---|--|---|--|---|---|
|   | <b>PC-M1B</b><br>STANDARD CLIP,<br>SELF TAPPING<br>MALE                        |   | <b>PC-M2H</b><br>STANDARD CLIP,<br>SELF TAPPING MALE<br>HEAVY DUTY                               |   | <b>PC-VM1</b><br>STANDARD CLIP,<br>VARIO SELF TAPPING<br>MALE |
|  | <b>PC-VMX</b><br>STANDARD CLIP,<br>VARIO SELF TAPPING<br>MALE EXTRA HEAVY DUTY |  | <b>PC-SVMX</b><br>STANDARD CLIP,<br>VARIO SELF TAPPING<br>SURFACE MOUNT MALE<br>EXTRA HEAVY DUTY |  | <b>PC-SM2</b><br>STANDARD CLIP,<br>SURFACE MOUNT<br>MALE      |
|  | <b>PC-SM2H</b><br>STANDARD CLIP,<br>SURFACE MOUNT<br>MALE HEAVY DUTY           |  | <b>PC-SM1AC</b><br>STANDARD CLIP,<br>TRANSLUCENT SURFACE<br>MOUNT ACCOUSTIC MALE                 |  | <b>PC-F1A</b><br>STANDARD CLIP,<br>SELF TAPPING<br>FEMALE     |
|  | <b>PC-DC1</b><br>STANDARD CLIP,<br>CONCRETE ANCHOR<br>FOR PC-F1A               |  | <b>PC-SF1</b><br>STANDARD CLIP,<br>SURFACE MOUNT<br>FEMALE                                       |  | <b>PC-AF1</b><br>STANDARD CLIP,<br>AUTO FIT FEMALE            |
|  | <b>PC-RF1</b><br>STANDARD CLIP,<br>SIDE MOUNT<br>FEMALE                        |   |  |   |   |

Change panels  
whenever  
you want.



## LOW PROFILE LP RANGE

The Low Profile Range offers self-tapping, screw and adhesive fix clips for mounting wall panels that require less space between panel and substrate. Available in 5-15kg/11-33lb pull out loads depending on the male clip used.

The Low Profile Range is ideal for mounting wall panels, with female clips specifically designed to self-tap into curved substrates, drywall and MDF or foam core.

*Common uses: Mounting decorative wall panels to drywall substrates, curved panels to curved walls, and non-upholstered panels to walls.*



**LP-M8A**  
LOW PROFILE CLIP,  
SELF TAPPING MALE



**LP-SM8AS**  
LOW PROFILE CLIP,  
SURFACE MOUNT MALE



**LP-SM8H**  
LOW PROFILE CLIP,  
SURFACE MOUNT  
MALE



**LP-SMX**  
LOW PROFILE  
SURFACE MOUNT  
MALE HEAVY DUTY



**LP-F8**  
LOW PROFILE CLIP,  
SELF TAPPING FEMALE



**LP-DF8**  
LOW PROFILE CLIP,  
SELF TAPPING COARSE  
THREAD FEMALE



**LP-AF8A**  
LOW PROFILE AUTO  
FIT FEMALE

Simply easy.



Panel mounting solution:  
**VL-F3** - substrate  
**VL-M3** - panel



## VERY LOW PROFILE VL RANGE

The Very Low Profile Range offers the least space between panel and substrate, and is suited to very thin substrates and/or panels with no special tools required for installation. Clips can be recessed, screw, rivet or adhesive fixed. Pull-out loads vary from 5-10kg/11-22lb per clip set, with a certified fire-rated version available.

*Common uses: Thin upholstered plywood panels, signage, aluminium honeycomb panels.*



**VL-M3**  
VERY LOW PROFILE  
MALE CLIP



**VL-M3H**  
VERY LOW PROFILE  
HEAVY DUTY MALE CLIP



**VL-M3FR**  
VERY LOW PROFILE  
FIRE-RATED MALE CLIP



**VL-F3**  
VERY LOW PROFILE  
FEMALE CLIP



**VL-F3H**  
VERY LOW PROFILE  
HEAVY DUTY FEMALE CLIP



**VL-F3FR**  
VERY LOW PROFILE  
FIRE-RATED FEMALE CLIP



**VL-M3X**  
VERY LOW PROFILE  
EXTRA HEAVY DUTY



**VL-PF3**  
VERY LOW PROFILE  
FEMALE RECESSED  
MOUNT ACOUSTIC CLIP

Baltic 108 WINWIN  
Photo: Jeff Brown

Heavy-duty,  
with fire-resistance.



When you have a heavy duty application that requires fire rating plus heavy load bearing, the Fastmount Metal Range is up to the job. Able to hold up to 50kg per m<sup>2</sup>, heavy panels can be mounted accurately and safely.

Panel mounting solution:  
**MC-M5** - floor panel  
**MC-F5** - substrate



## METAL MC RANGE

The Metal Range is recommended for more heavy-duty applications that require a robust hidden fixing. Self-tapping, screw or rivet and self-adhesive fix options are available, with pull-out loads of 5kg/11lb or 10kg/22lb depending on clips used. Stainless Steel clip set (patent pending) has been designed for high fire resistance and durability, and can be used on ceiling and wall panels.

*Common uses: heavyweight wall and ceiling panels, fire-rated panels and egress paths, metal panels.*



**MC-SSM10**  
STAINLESS STEEL  
CLIP MALE



**MC-SSF10**  
STAINLESS STEEL  
CLIP FEMALE



**MC-NPF10**  
NICKEL PLATED CLIP  
FEMALE



**MC-NPM10**  
NICKEL PLATED CLIP  
MALE



**MC-M5**  
METAL CLIP SELF  
TAPPING MALE



**MC-F5**  
METAL CLIP SELF  
TAPPING FEMALE



**MC-F10**  
METAL CLIP SELF  
TAPPING FEMALE  
10KG



**MC-SM5**  
METAL MALE  
SURFACE MOUNT,  
SCREW



**MC-SM5-VHBFR**  
METAL MALE  
SURFACE MOUNT,  
ADHESIVE



Achieve perfection  
with adjustable,  
effortless installation.

Panel mounting solution:  
**SL-M18FR** - ceiling panel  
**SL-RLE + SL-RCF90 + SL-FA-FR** - substrate



### STRATLOCK SL RANGE

The Stratlock Range is a heavy-duty panel mounting solution for mounting heavy interior panels onto aluminium U channel, timber battens, Stratlock Rail or direct onto plywood, designed specifically for the contract interior fitout industry. With no special installation tools required, the Stratlock Range is a hidden fixing that installs rapidly into the framework and panel, provides supported adjustment of the panel before locking into place, and boasts our highest shear strength and pull out load of 40lb.

*Typical applications include: Heavy wall and ceiling panels in the interiors of hotels, hospitals, retail and residential.*

- |   |  |   |  |   |  |
|---|--|---|--|---|--|
|    | <b>SL-FA</b><br>STRATLOCK FEMALE<br>SIDE MOUNT CLIP                                |    | <b>SL-FA-FR</b><br>STRATLOCK FEMALE<br>FIRE RATED SIDE<br>MOUNT CLIP             |    | <b>SL-FB1</b><br>STRATLOCK FEMALE<br>FRONT MOUNT CLIP                  |
|    | <b>SL-SFA</b><br>FEMALE SIDE MOUNT<br>CLIP FOR TIMBER<br>FRAMEWORK                 |    | <b>SL-SFA-FR</b><br>FEMALE FIRE RATED<br>SIDE MOUNT CLIP FOR<br>TIMBER FRAMEWORK |    | <b>SL-FB1-FR</b><br>STRATLOCK FEMALE<br>FRONT MOUNT CLIP<br>FIRE RATED |
|  | <b>SL-FC</b><br>STRATLOCK FEMALE<br>FLUSH MOUNT CLIP                               |  | <b>SL-FC-FR</b><br>STRATLOCK FEMALE<br>FIRE RATED FLUSH<br>MOUNT CLIP            |  | <b>SL-SMT1</b><br>STRATLOCK SIDE<br>MOUNT                              |
|  | <b>SL-M10</b><br>STRATLOCK MALE<br>CLIP 10KG                                       |  | <b>SL-M18</b><br>STRATLOCK MALE<br>CLIP 18KG                                     |  | <b>SL-M18-FR</b><br>STRATLOCK MALE<br>CLIP 18KG FIRE<br>RATED          |
|  | <b>SL-C-WC90-FR</b><br>STRATLOCK WALL TO<br>CEILING<br>CONNECTOR                   |  | <b>SL-C-WW90-FR</b><br>STRATLOCK WALL TO<br>WALL CONNECTOR                       |  | <b>SL-RCF90</b><br>STRATLOCK 90°<br>RAIL CONNECTOR                     |
|  | <b>SL-RCAB180</b><br>WALL TO WALL<br>ADJUSTABLE<br>CONNECTOR FOR<br>STRATLOCK RAIL |  | <b>SL-RLE</b><br>STRATLOCK RAIL<br>EXTRUSION                                     |   |  |

Easy to install.  
Easily reliable.



## SLX RANGE

The SLX Range has clips designed for both architectural and marine applications. For uses across marine and commercial/residential interiors and installing into drywall/plasterboard and plywood. The two stage engagement of the clips allows for 6mm / 1/4" adjustability in all directions to ensure perfect panel alignment. Clips for architectural use are also available in fire rated versions. Engineered and manufactured in New Zealand.

*Typical applications include:* Complex walls and feature ceilings, complex geometries, large wall panels, and marine fit outs.



**SLX-F40T**  
FEMALE CLIP FOR  
PLYWOOD



**SLX-F40R**  
FEMALE CLIP FOR  
PLASTERBOARD



**SLX-F40R-FR**  
FIRE RATED  
FEMALE CLIP FOR  
PLASTERBOARD



**SLX-F1.5R**  
FEMALE CLIP FOR  
DRYWALL AND  
PLYWOOD



**SLX-F1.5R-FR**  
FIRE RATED FEMALE  
CLIP FOR DRYWALL  
AND PLYWOOD



**SLX-M5**  
SLX MALE CLIP 5KG  
/ 11LB



**SLX-M10**  
SLX MALE CLIP 10KG  
/ 22LB



**SLX-M18**  
SLX MALE CLIP 18KG  
/ 40LB



**SLX-M18-FR**  
SLX FIRE RATED MALE  
CLIP 18KG / 40LB



**SLX-M25**  
SLX MALE CLIP 25KG  
/ 55LB



**CP-01ST**  
STANDARD RANGE CENTRE POINT  
Standard Profile Centre Point with stainless steel tip  
to mark hole centre for correct clip alignment.



Peace of mind.  
Guaranteed.

Seismic restraint providing added security and control. The panel is suspended below the ceiling for convenient servicing behind the panel or controlled removal of the panel or controlled removal of the panel by releasing the wire.



## PANELSAFE PS RANGE

PanelSafe restraint systems provide added security and control to panel removal.

With the use of the PanelSafe, a panel can be suspended below the ceiling for convenient servicing behind the panel or controlled removal of the panel. Suitable for use with the PC, LP, VL, MC and SL clip ranges.

*Ideal for: Inspection panels, large and/or heavy ceiling panels. To ensure quality installation and performance, installation and removal tools are available.*

Note: Custom products have a three week lead time.



**PS-150**  
PANELSAFE



**PS-150E**  
PANELSAFE EASY  
FIT SELF TAPPING



**PS-S150E**  
PANELSAFE EASY FIT  
SURFACE MOUNT



**PS-SR225S**  
SEISMOUNT  
GALVANISED STEEL




**PS-SR225SS**  
SEISMOUNT  
STAINLESS STEEL

Soft furnishings,  
fitted hard  
and fast.



Panel mounting solution:  
**TC-F6H** - soft textile  
**TC-M6** - deck

Photograph: Galeon Yachts



Holds fast.  
Releases quick.

## TEXTILE TC RANGE

The Textile Range is designed for mounting soft textiles to fabrics and hard surfaces in both interior and exterior settings with clip sets holding up to a 32kg/70lb break out load. Utilising a simple slide lock system, the Textile Range offers hidden and secure cushion fastening.

*Typical applications include: Sun loungers, exterior cushions on superyachts, seat bases and backs. Patent Pending.*

### TEXTILE TC UPHOLSTERY RANGE



**TC-F6H**  
TEXTILE CLIP  
FEMALE  
HEAVY DUTY



**TC-M6**  
TEXTILE CLIP MALE  
- SCREW FIX



**TC-SM6S**  
TEXTILE CLIP MALE,  
SEW ON



**TC-SM6**  
TEXTILE CLIP MALE  
- VHB TAPE FIX

### TEXTILE TC CARPET RANGE



**TC-CM3**  
CARPET CLIP MALE



**TC-CSM3**  
CARPET CLIP MALE,  
ADHESIVE MOUNT



**TC-CF3**  
CARPET CLIP  
FEMALE



Extra heavy duty  
mounting, made simple.

Panel mounting solution:  
**PC-SF1** - substrate  
**PC-SVMX** - panel

## FASTMOUNT TOOLS RANGE

To achieve a quality installation and perfect finish with mounted panels, use the appropriate installation and removal tools below for the different clip ranges.

- |   |  |   |  |   |   |
|---|--|---|--|---|---|
|    | <b>CP-01ST</b><br>STANDARD RANGE<br>CENTRE POINT                       |    | <b>CP-08ST</b><br>LOW PROFILE CLIP<br>CENTRE POINT                         |    | <b>VL-CP3</b><br>VERY LOW PROFILE<br>CENTRE POINT                   |
|    | <b>MC-CP5</b><br>METAL CLIP<br>CENTRE POINT                            |    | <b>MC-SSCP</b><br>STAINLESS STEEL CLIP<br>CENTRE POINT                     |    | <b>TC-CP6H</b><br>TEXTILE RANGE<br>CENTRE POINT                     |
|    | <b>VL-SS3</b><br>VERY LOW PROFILE<br>STAINLESS STEEL<br>SCREW          |    | <b>CT-09DG</b><br>DRILL GAUGE<br>FOR USE WITH CT-09<br>DRILL BIT           |    | <b>CP-02ST</b><br>STANDARD RANGE<br>MALE CENTRE<br>POINT            |
|    | <b>CT-09</b><br>PANEL DRILL 10MM<br>FORSTNER TYPE                      |    | <b>CT-07</b><br>CARBIDE TIP STEP<br>DRILL                                  |    | <b>CT-01</b><br>DRILL 10MM WITH<br>SHOULDER                         |
|    | <b>CT-15</b><br>TAP FOR PC-F1A   |    | <b>CT-22</b><br>TAP FOR MALE TAP<br>FOR MALE SELF-<br>TAPPING CLIPS        |    | <b>CT-13A</b><br>CARBIDE TIP STEP<br>DRILL - 16.8 DIA<br>FOR PC-F1A |
|    | <b>CT-10</b><br>INSTALL TOOL SELF<br>TAPPING MALE CLIPS<br>(ALUMINIUM) |    | <b>CT-19</b><br>INSTALL TOOL LOW<br>PROFILE RANGE<br>(ALUMINIUM)           |    | <b>CT-03</b><br>INSTALL TOOL FOR<br>PC-F1A                          |
|    | <b>MC-IT5</b><br>INSTALL TOOL FOR<br>METAL CLIPS                       |    | <b>CT-18DG</b><br>DRILL GUIDE<br>INSTALLATION JIG                          |    | <b>CT-12</b><br>31MM HSS<br>COUNTERSINK<br>DRILL BIT                |
|   | <b>CT-05H</b><br>PANEL REMOVAL<br>TOOL WITH HOOK                       |   | <b>CT-17</b><br>PANEL REMOVAL<br>TOOL PAINTED PANEL<br>(GLASS SUCKER 40KG) |   | <b>CT-05</b><br>PANEL REMOVAL<br>TOOL                               |
|  | <b>LP-08Y</b><br>YARD KIT<br>LOW PROFILE                               |  | <b>CT-06S</b><br>SERVICE KIT   |  | <b>CT-08</b><br>YARD KIT 6 TOOLS                                    |

Scan to find your closest Fastmount distributor





# **FASTMOUNT**

PANEL MOUNTING SOLUTIONS

Our mission is to enable the creation of beautiful, elegant and functional design finishes for panels and furniture by simplifying the processes of installation, usage and removal of surfaces.

Fastmount panel mounting solutions ensure a perfect alignment and flawless finish, every time.

20 years experience, 130 million clips sold, global distribution network in 50 countries.

Visit [fastmount.com](https://fastmount.com) for more information about our products, use cases and technical documents.



Proudly designed & manufactured in New Zealand